

# The Natural Angle

VOLUME 17: ISSUE 2

THIS NEWSLETTER PUBLISHED BY FARRIER PRODUCT DISTRIBUTION

## The Z-Bar Shoe: A Closer Look

By Stephen E. O'Grady, DVM, MRCVS

### INTRODUCTION

The Z bar shoe has gained popularity with clinicians, both veterinarians and farriers, when faced with damage or infection to a heel quarter / heel or heel on one side of the hoof capsule (Figure 1A & 1B). Among the injuries encountered where it is commonly used are heel bruising (corns), hoof wall separations, quarter / heel cracks, fracture of the bar and hoof wall avulsions. The Z bar shoe has become a popular forging exercise but does it really possess the purported benefits when used in farriery practice? Farriery methods used today are often based on theoretical assumptions and hearsay derived from empiric experience rather than sound farriery principles and proof of efficacy. Central to our current knowledge of farriery is the interaction of the structures of the foot (especially when damaged), the manner in which the foot loads and the surface on which the foot interacts. So, if we consider the therapeutic principles when confronted with structural damage to a section of the horse's foot, there may be more appropriate farriery options than the Z bar shoe.



Fig. 1A shows a well forged Z bar shoe with an adequate frog plate. Fig. 1B shows the same shoe attached to a foot. Note the frog plate covering the frog. (Courtesy of Jacques Kroger - South Africa).

### THERAPEUTIC CONSIDERATIONS

It is important to realize and understand the functionality of a bar shoe. They provide stability to the hoof capsule by the nature of the bar joining the two branches of the shoe together; placing a bar between the heels of a shoe adds several inches of ground contact surface area to the foot; they provide local protection and recruitment of additional weight bearing structures of the foot. The continuity bar shoe around the perimeter of the hoof capsule allows a section of the hoof capsule to be unloaded as there will be a weight bearing surface in front of and behind the affected area. Furthermore, bar shoes decrease the independent vertical movement

of the heels thereby reducing movement and stabilizing the structures in the palmar / plantar section of the foot.

It may be helpful to consider therapeutic principles when trying to decide on the best farriery approach for a foot with a compromised heel / quarter or heel. The therapeutic principles of farriery used to promote healing of any injured / diseased tissue or a hoof wall defect are:

- Protection
- Unload or decrease the force on the damaged section of the foot
- Redistribute the load to a better section of the foot

Continued on page 2

Continued from page 1

Perhaps the Z bar shoe should be considered a partial bar shoe. The bar of the Z bar is shaped with 2 90° bends such that one leg of the Z is attached to the quarter of one branch of the shoe and the other leg is attached to the heel of the opposite branch. This configuration affords no protection to the section of hoof wall not covered by the shoe and leaves it vulnerable to trauma from the surface below. The Z bar shoe has limited ability to unload or decrease the forces on the exposed section of the hoof wall. The Z bar shoe offers a floatation effect when the horse stands or walks on a hard-flat surface as the affected area is off the surface. However, if the horse stands or is moved on a deformable surface such as sand, synthetic arena footing, grass paddock, etc.; the weight of the horse will force the shoe to sink in the footing and the unprotected quarter / heel will be directly engaged with the surface. The same thing happens when the horse is in the stall standing on sawdust, shavings or other type of bedding but to a lesser degree. Furthermore, if we consider the point in the quarter of the foot where the Z bar turns medially toward the frog; this forms a fulcrum placing leverage on the quarter / heel palmar or plantar to this point (Figure 3). Therefore, when the horse is weight bearing, this leverage will create an additional force on this area in a distal direction.

The Z bar shoe would appear to be able to redistribute a limited amount of weight bearing to other parts of the foot. However, in order to transfer load, the Z bar would have to have an adequate frog plate



*Fig.2. shows a Z bar shoe without a frog plate which prevents redistributing the weight of the horse to another section of the foot.*



*Fig. 3A and 3B. Note the fulcrum effect (red arrows) of the Z bar shoe and the leverage on the hoof wall palmar / plantar to the end of the shoe.*

that would cover the frog. Furthermore, the frog and related structures would have to be of sufficient mass and healthy in order to accept some of the weight bearing function and make the palmar / plantar section of the foot 'load sharing'. The Z bar shoe is hard to make properly, so many cases seen in practice are just a Z formation without the necessary frog plate which then has no ability

to redistribute load and would actually render the foot unstable (Figure 2). Secondly, the ability to redistribute weight is further limited, due to the leverage and the force exerted on the exposed hoof wall as some of the load will be placed here rather than over the entire foot if a full bar shoe was used.

One last point that needs to be considered is how the forelimb (limb) conformation affects the landing pattern of the horse. If a horse lands slightly lateral heel first and has a lateral heel injury; removing a section of the shoe that exposes the compromised heel will alter the landing pattern and increase the force during the landing phase of the stride. A horse with a rotational deformity or an offset foot will land asymmetrically and load the foot disproportionately with excessive load being placed on the medial side of the foot (sheared heels). As many injuries and hoof wall defects (quarter cracks) occur medially; this will add excessive force to the unprotected hoof wall which is not conducive to healing.

## ALTERNATIVE FARRIERY SOLUTIONS

There are many farriery methods to implement the therapeutic principles of protecting and unloading a compromised section of the foot and then redistributing the load to a better section of the foot. Any discussion of therapeutic farriery and its ultimate success has to start with and rely on a good basic trim.<sup>1,2,3</sup> Briefly, a line is drawn across the widest part of the foot, the frog is trimmed to remove exfoliating horn and the heels of the hoof capsule are trimmed to the

Continued on page 3



Continued from page 2



Fig. 4. Basic trim – red lines show the widest part of the foot and the proportions on either side of the widest part of the foot. Blue line shows the base of the frog. Star is approximate position of the center of rotation.

base of the frog or to a point where the hoof wall at the heels and the frog are on the same horizontal plane. The toe length is reduced accordingly such that there are approximate proportions of surface area on either side of the line drawn across the middle of the foot (Figure 4). Once a shoe is chosen, the hoof wall on the affected side is again trimmed from the toe quarter to the heel in a tapered fashion to create a 'pie shaped' space between the shoe and the hoof.<sup>4</sup>

## SHOE OPTIONS

There are many shoe or shoe combinations that can be used. The shoe choice should be based on the severity and extent of the damage or defect in the affected section of hoof wall. All the shoes mentioned will protect the affected area. If it is a simple defect such as a quarter crack, a simple bar shoe is generally sufficient. The continuity of the bar shoe stabilizes the hoof capsule and allows the section of the hoof wall with the defect to be unloaded (Figure 5). Added stability can be added by using a heart bar shoe which has the ability to transfer some of the load to the frog and palmar foot. In order for the heart bar shoe to be effective, it is necessary to have a healthy frog of sufficient mass (Figure 6). Another option to redistribute the weight is to use a bar shoe with some form of pad. Before applying the shoe and pad, impression material will be added to the solar surface of the foot except under the affected section of the foot so that area stays unloaded (Figure 7). An excellent combination to protect / unload the compromised hoof wall and redistribute the load on the foot is to use a bar shoe with a spider plate and impression material. Again, the impression material is removed from beneath the affected hoof wall (Figure 8).



Fig. 5. Kerckhaert SX-8 straight bar shoe



Fig. 6. Heart bar shoe with a healthy frog (Courtesy of Jeff Ridley CJF, TE)



Fig. 7A and 7B. Kerckhaert SX-8 straight bar shoe with impression material. Note the space created between the hoof surface and the shoe.



Fig. 8A and 8B. Kerckhaert SX-8 straight bar shoe with spider plate. Note impression material removed under medial quarter / heel. Open shoe with spider plate and impression material. Note stiffness of spider plate will create a bar shoe effect.

Continued on page 4

Continued from page 3

## A CLINICAL CASE USING FARRIERY PRINCIPLES

A 14-year-old upper level event horse suffered a severe avulsion of the right fore medial hoof wall from the toe quarter to the heel (Figure 9). Immediately after the injury, he was placed in a foot cast for 5 days and received antibiotics. When presented out of the cast, he was toe-touching lame with a marked digital pulse. Pressure on the avulsed area of the foot showed marked pain. To initiate the principles discussed above, the horse was placed in a wooden shoe which allowed the avulsed side of the foot to be unloaded and the weight to be redistributed across the foot due to the flat solid surface of the block (Figure 10). The horse immediately became sound. As there was no infection present, the detached section of hoof wall was left in place to act as a 'Band-Aid'. There was solid hoof wall growth at the coronet a month later and the horse was changed to a bar shoe / pad / impression material combination (Figure 11). At the second reset (8 weeks), the hoof wall can be seen growing down solid and evenly (Figure 12). Small portions of the detached wall have been removed periodically with solid cornified horn underneath. The horse is turned out and the hoof wall has continued to grow down uneventfully.



Fig. 9. Complete avulsion of medial hoof wall from toe quarter to heel.

## CONCLUSION

Farriery is both an art and a science. I like to use a thought process based on principles when devising a therapeutic plan. In most cases the principles for damaged tissue will be to protect, take the force of it and redistribute some of the weight bearing function to another part of the foot. I try not to think about what I did on the last case but what I'm going to do for this case. There are always a variety of ways to apply principles.

## REFERENCES

1. O'Grady, SE. (2009) *Guidelines for Trimming the Equine Foot: A Review. Proceedings, Am Assoc Equine Pract* 55. 218-225.
2. Castelijns, HH. (2012) *The Basics of Farriery as a Prelude to Therapeutic Farriery Vet Clin N Am Equine* 2. 316-320.
3. O'Grady, S.E. *Farriery for Common Hoof Problems. (2011) In: Baxter GM, ed. Adams and Stashak's Lameness in Horses 6th ed. Ames, IA: Wiley-Blackwell, 1199-1210.*
4. O'Grady SE., Castelijns, HH. (2011) *Sheared heels and the correlation to spontaneous quarter cracks Equine vet edu* 23. 262-269.

Continued on page 5



**New Diamond®  
Clinch Cutter and  
Double Clinch  
Groover/Gouge**



## Affordable. Efficient. Professional Quality.

The improved tool line from Diamond® offers a quality range of affordable products designed for efficiency and professional results.



Diamond®  
Clinch Block



Diamond®  
Light Apron



Diamond® 7oz.  
Driving Hammer



Diamond®  
Hoof Knives



Diamond®  
8" Nail Cutter



Diamond®  
10" Beveled Nail Cutter



Diamond®  
KX Nail Cutter



Diamond®  
Powerbolt Nail Cutter

**Diamond® Tradition - Kerckhaert Innovation**




**Like Diamond® on facebook @diamondfarrierusa**



Continued from page 4



Fig. 10A and 10B. Wooden shoe at an initial farriery.  
Note wall unloaded and screws inserted in toe.



Fig. 11A and 11B. Kerckhaert SX-8 straight bar shoe with leather pad  
and impression material at 4 weeks



Fig. 12A and 12B. Reset at 8 weeks (12A) and 12 weeks (12B).  
Note hoof wall growth at coronet.

Dr. Steve O'Grady is both a veterinarian and a farrier. He operates Virginia Therapeutic Farriery which is a referral practice devoted to therapeutic farriery located in Keswick, VA.

*Disclaimer: Dr. O'Grady has no financial interest in Farrier Product Distribution (FPD) but routinely uses and recommends their products in his veterinary practice.*

## DID YOU KNOW?

FPD has a vast library of videos for the professional farrier available on YouTube as well as the FPD Field Guide for Farriers. Subscribe to the FPD YouTube channel @farrierproducts for the latest video releases and save the FPD Mobile Field Guide - farrierproducts.com/fieldguide - to your smart phone home screen to view valuable farrier information on the go.



Field Guide for Farriers

Scan code with your smart phone

A useful on-the-go guide to the best horseshoes, nails and tools for various disciplines with tips and videos on how best to use them.

**www.farrierproducts.com/fieldguide**

View FPD's Field Guide on your desktop, laptop or mobile device!

facebook.com/FarrierProductDistribution

youtube.com/farrierproducts

instagram.com/fpdinc

twitter.com/farrierproducts

**Connect with FPD and Join the Conversation**

farrierproducts.com/blog  
farrierproducts.com/fieldguide  
farrierproducts.com



# BELLOTA RASPS RAPID CUT CLEAN FINISH

## Why Professional Farriers Choose Bellota Rasps

- Special Bellota Chrome Alloy Steel
- Exceptional Quality
- Uniform Teeth Geometry
- Exclusive Bellota Sharpening Technology



### BELLOTA RAPTOR

- Very Aggressive Rasp cut and Coarse File sides for the most efficient removal of hoof material
- The extra width (2-1/4" v. regular 1-3/4") provides a greater cutting surface, ideal for large hooves




### BELLOTA RAZOR PLUS

- Very Aggressive Rasp cut for the fastest removal of hoof material
- Coarse File side for the most efficient finish



### BELLOTA TOP SHARP

- Aggressive Rasp cut for quick removal of hoof material
- Intermediate File side for excellent and efficient finish



### BELLOTA CLASSIC

- Aggressive Rasp cut for quick removal of hoof material
- Smooth File side, ideal for "dressing" finish



Also try the Mini Rasp - perfect for small feet - handle included!



View the Full Line of Bellota Rasps, Files and Tools at [farrierproducts.com](http://farrierproducts.com)

## SHOEING TIPS

# Ranger Plain Modified for Lateral Breakover

Mike Wildenstein, CJF FWCF (hons) did this simple modification to a Kerckhaert Ranger Plain shoe to provide ease of breakover, not in the center of the toe but slightly lateral in the natural path of travel based on his evaluation. He held the limb close to the ground and determined a line parallel to the ground would indicate a lateral breakover would be the most comfortable for the horse.



Ready to begin at the anvil with Bloom Tools, Kerckhaert Ranger Plain and FootPro™ Rounding Hammer.



Determining parallel line with ground to establish natural breakover point.



Beveling toe to lateral side working at edge of face.





Resulting bevel side view.



Resulting bevel.



Checking fit.



Tacked on and checking parallel.

For more articles and tips from professional farriers, visit FPD's Field Guide for farriers at [farrierproducts.com/filedguide](http://farrierproducts.com/filedguide).

LIBERTY AND LIBERTY  
COPPER (Cu) SHIELD  
**6 COMBO SLIM**  
**NOW AVAILABLE**

View the full line of Liberty and Liberty  
Copper (Cu) Shield Horseshoe Nails online  
at [www.farrierproducts.com](http://www.farrierproducts.com)

**LIBERTY**  
A REAL EVOLUTION

**CU**  
LIBERTY


## TRANSITIONING FROM SHOD TO BAREFOOT



**Vettec**  
ANIMAL HEALTH

US Customer Care 1.800.483.8832  
EU Customer Care +41 91 6100505  
[www.vettec.com](http://www.vettec.com)

## Protect feet with Vettec packages:



A custom SuperFast shoe and pour-in pad can be applied for comfort and support.



Sole-Guard can be applied to a directly to the barefoot for protection.

Have a hoof problem? Contact us to talk it over

THE NATURAL ANGLE is published to provide you with new and useful information about the industry. It is published through a cooperative effort of FPD, Kerckhaert Horseshoes, Liberty Horseshoe Nails, Bellota, Bloom Forge, Vettec and your supplier.

Articles in this publication are the property of *The Natural Angle* and cannot be reprinted without express permission. For information concerning reprints, please contact Dan Burke, FPD, P.O. Box 1328, Shelbyville, KY 40066 or Email: [fpd@farrierproducts.com](mailto:fpd@farrierproducts.com).

If you have questions, comments or ideas concerning the articles published in the *Natural Angle*, please contact your distributor. We welcome your input. *The Natural Angle* is designed and edited by Graphic Response. ■

